

Phonak Audéo L RIC Order Form

For mild to severe hearing losses

Phonak Audéo L is the comprehensive rechargeable RIC portfolio which includes three designs, four performance levels and five external receivers, including the ActiveVent™ receiver.

PHONAK
life is on

Step 1: Order details

Account Number :

Hearing Clinic:

Delivery Address:

Contact Name:

Phone Number:

Email Address:

Date Ordered:

Date Required:

Step 2: Patient information

Name:

Audiogram: (Required for Intellivent option)

kHz	0.25	0.5	1	2	4
LEFT AC (dB HL)					
RIGHT AC (dB HL)					

Step 3: Warranty/VIP service

4th year (\$168 per device incl GST)

VIP 24 hour service (\$57.75 incl GST) (VIP not available for Titanium products)

Step 4: Choose hearing instrument (see following page for mould order, HSP codes and colour options)

L	R	Model	Part No.	Colour
		L90-R	050-0889	
		L70-R	050-0888	
		L50-R	050-0875	
		L30-R	050-0874	

L	R	Model	Part No.	Colour
		L90-RT	050-1000	
		L70-RT	050-0999	
		L50-RT	050-0998	
		L30-RT	050-1006	

L	R	Model	Part No.	Colour
		L90-RL	050-1002	
		L70-RL	050-1001	
		L50-RL	050-1012	
		L30-RL	050-1011	

Step 5(a): Choose receiver option (Sound Delivery System version 4.0 only)

Standard	Medium	Power	UltraPower – cShell only HF3 filter recommended
S 0-L S 0-R	M 0-L M 0-R	P 0-L P 0-R	UP 0-L UP 0-R
S 1-L S 1-R	M 1-L M 1-R	P 1-L P 1-R	UP 1-L UP 1-R
S 2-L S 2-R	M 2-L M 2-R	P 2-L P 2-R	UP 2-L UP 2-R
S 3-L S 3-R	M 3-L M 3-R	P 3-L P 3-R	UP 3-L UP 3-R

Step 5(b): Choose ActiveVent Receiver option (compatible with Audéo L-R/L-RT/L-RL)

Audéo L-RL is compatible with ActiveVent Receiver, however due to the moving parts within ActiveVent and the increased potential for water intrusion into the receiver, it is not recommended for use with Audéo L-RL.

Moderate

MAV Receiver 0L	MAV Receiver 0R
MAV Receiver 1L	MAV Receiver 1R
MAV Receiver 2L	MAV Receiver 2R
MAV Receiver 3L	MAV Receiver 3R

(a) Choose earpieces – SlimTip Titanium AV (impression required)

L	R
	SlimTip Titanium AV



(b) Choose Earpieces – Universal Silicone SlimTip AV (impression not required)

Universal SlimTip AV A-L	Universal SlimTip AV C-L
Universal SlimTip AV A-R	Universal SlimTip AV C-R
Universal SlimTip AV B-L	Universal SlimTip AV D-L
Universal SlimTip AV B-R	Universal SlimTip AV D-R



Step 6 (a): Choose dome coupling option (custom ear piece option below)

Dome style		
Cap	Left	Right
Open	Left	Right
Vented	Left	Right
Power	Left	Right

Dome size		
Small	Medium	Large
Small	Medium	Large
Small	Medium	Large



Step 6 (b): Choose custom ear piece option (impression required)

SimTip (removeable earpiece)

L	R
Material	
Hard Acrylic	Hard Acrylic
Soft Silicone	Soft Silicone
Shell colour	
☐ Clear (21)	☐ Clear (21)
Rosa Tint (T)	Rosa Tint (T)
Beige/Pink (26) (hard only)	Beige/Pink (26) (hard only)
Tan (14) (hard only)	Tan (14) (hard only)

cShell Acrylic

L	R
Shell colour	
☐ Beige/Pink (26)	☐ Beige/Pink (26)
Clear (21)	Clear (21)
Tan (14)	Tan (14)
Faceplate colour	
☐ Pink (26)	☐ Pink (26)
Cocoa (22)	Cocoa (22)
Brown (28)	Brown (28)
Transparent (13)	Transparent (13)
Tan (14)	Tan (14)
Black Transp. (47)	Black Transp. (47)

cShell Titanium**

L	R
Shell colour	
☐ Titanium	☐ Titanium
Faceplate colour	
☐ Black Transp. (47)	☐ Black Transp. (47)

Impressions

New impressions enclosed

Use scanned data
Existing serial number:

SlimTip

cShell Titanium

cShell

Okay to change to cShell if SlimTip not possible

* Please note cShell Titanium products are not included free of charge with hearing aid order.
S = Standard, will default if no other selection ticked
^ Please note cShell Titanium is only available in Titanium shell colour and Black faceplate colour.

Step 7: Choose venting, wax management and handling options

Venting (mm)*

L	R
AOV Smart vent size calculation. Requires AC thresholds.	
Occluded	
1.0mm	
1.1 - 1.6mm	
1.7 - 2.2mm	
2.3 - 3.0mm	
Open	

Wax management

L	R	SlimTip Hard Acrylic
☐	☐	Cerustop (CS)
Ext. receiver tube + wax spring (WE)		
None (X)		
L	R	SlimTip Soft Silicone
☐	☐	None (X)
L	R	cShell
☐	☐	Cerustop (CS)
HF3 (recommended for UP Rx) (H3)		
HF4 (H4)		
Ext. receiver tube + wax spring" (WE)		
L	R	Sensor cShell
☐	☐	Cerustop (CS)

Handling

L	R
Removal Line (RF)	
Removal Line + 5mm extension (RFE)	
Canal Lock (CL)	
Skeleton Lock (SL)	

*Cerustop default option for SlimTip HA and only option for SlimTip Titanium.

Please note: A coupling code representing actual vent size is printed on custom earpieces. Please enter this code into Phonak Target when programming your client's hearing aids.

**Not applicable for cShell Titanium.

Step 8: CROS Fitting?

There are no compatible CROS Transmitters available for the Lumity platform - please consider Paradise platform CROS solutions.

Special requests:

Step 8: Choose accessories

Cleaning kits

Choose one complimentary option

C&C Cleaning Kit (098-0041)
D-Dry+ Electronic Kit (098-0511-00014)

Complimentary charging accessory
(for Audéo L-R/L-RT)

Phonak Charger Ease (075-0080-10)

Complimentary charging accessory
(for Audéo L-RL)

Phonak Charger Case Et Go (075-3017-10)
Phonak Life Charger (075-3023-10)

Other accessories

TV Connector (076-3006-06)
Remote Control (076-0065-P5)
PartnerMic (076-4001-P510)
Roger Accessories - please complete the Phonak Roger Order Form

Additional information

HSP codes

Model	HSP codes	Category
L90-R	B766PH0	C2
L70-R	B767PH0	C2
L50-R	B768PH0	C2
L30-R	B769PH0	C2

Model	HSP codes	Category
L90-RT	B770PH0	C2
L70-RT	B771PH0	C2
L50-RT	B772PH0	C2
L30-RT	B773PH0	C2

Model	HSP codes	Category
L90-RL	B762PH0	C2
L70-RL	B763PH0	C2
L50-RL	B764PH0	C2
L30-RL	B765PH0	C2

Housing colours

P1 Sand Beige	P3 Sandalwood	P4 Chestnut	P5 Champagne
P6 Silver Gray	P7 Graphite Gray	P8 Velvet Black	H0 Beige

Models



Audéo L-R/L-RT/L-RL charging accessories



Other accessories

